APPENDIX A

Figure A1. Monthly salinity recorded at stations from 2005 – 2018 in the St. Lucie-North (top), St. Lucie-South (middle) and St. Lucie-Central (bottom) study sites and the sum of the mean flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District
Figure A2. Monthly salinity recorded at stations from 2005 – 2018 in the Loxahatchee-North (top) and Loxahatchee-South (bottom) study sites and the sum of the mean daily flow rate at the Lainhart Dam and S46 structures as recorded by the U.S. Geological Survey and the South Florida Water Management District
Figure A3. Mean daily salinity recorded by continuous data loggers from 2005 – 2018 at the St. Lucie North Fork HR1 (top), St. Lucie US1 Roosevelt Bridge (middle) and St. Lucie middle estuary Rio (bottom) stations and the sum of the mean flow rate at the S80, S97, S49 and Gordy structures. Salinity and flow data from the U.S. Geological Survey and the South Florida Water Management District
Figure A4. Mean daily salinity recorded by continuous data loggers from 2005 – 2018 at the Loxahatchee NW Fork OY (top), Loxahatchee SW Fork 72 (middle) and Loxahatchee central estuary PP (bottom) stations and the sum of the mean flow rate at the Lainhart Dam and S46 structures. Salinity data from the Loxahatchee River District and flow data from the U.S. Geological Survey and the South Florida Water Management District108
Figure A5. Monthly water temperature recorded at stations from 2005 – 2018 in the St. Lucie-North (top), St. Lucie-South (middle) and St. Lucie-Central (bottom) study sites and the sum of the mean flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District
Figure A6. Monthly water temperature recorded at stations from $2005-2018$ in the Loxahatchee-North (top) and Loxahatchee-South (bottom) study sites and the sum of the mean daily flow rate at the Lainhart Dam and S46 structures as recorded by the U.S. Geological Survey and the South Florida Water Management District
Figure A7. Monthly dissolved oxygen concentration recorded at stations from 2006 – 2018 in the St. Lucie-North (top), St. Lucie-South (middle) and St. Lucie-Central (bottom) study sites and the sum of the mean flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District
Figure A8. Monthly dissolved oxygen concentration recorded at stations from 2006 – 2018 in the Loxahatchee-North (top) and Loxahatchee-South (bottom) study sites and the sum of the mean daily flow rate at the Lainhart Dam and S46 structures as recorded by the U.S. Geological Survey and the South Florida Water Management District.
Figure A9. Monthly pH recorded at stations from 2006 – 2018 in the St. Lucie-North (top), St. Lucie-South (middle) and St. Lucie-Central (bottom) study sites and the sum of the mean flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District
Figure A10. Monthly pH recorded at stations from $2006-2018$ in the Loxahatchee-North (top) and Loxahatchee-South (bottom) study sites and the sum of the mean daily flow rate at the Lainhart Dam and S46 structures as recorded by the U.S. Geological Survey and the South Florida Water Management District
Figure A11. Monthly percent Secchi penetration recorded from 2005 – 2018 at St. Lucie-North Station 1 (top), Station 2 (middle) and Station 3 (bottom) and the sum of the mean daily flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District
Figure A12. Monthly percent Secchi penetration recorded from 2005 – 2018 at St. Lucie-South Station 1 (top), Station 2 (middle) and Station 3 (bottom) and the sum of the mean daily flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District
Figure A13. Monthly percent Secchi penetration recorded from 2005 – 2018 at St. Lucie-Central Station 1 (top), Station 2 (middle) and Station 3 (bottom) and the sum of the mean daily flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District

Figure A14. Monthly percent Secchi penetration recorded from $2005 - 2018$ at Loxahatchee-North Station 1 (top), Station 2 (middle) and Station 3 (bottom) and the sum of the mean daily flow rate at the Lainhart Dam and S46 structures as recorded by the U.S. Geological Survey and the South Florida Water Management District118
Figure A15. Monthly percent Secchi penetration recorded from 2005 – 2018 at Loxahatchee-South Station 1 (top), Station 2 (middle) and Station 3 (bottom) and the sum of the mean daily flow rate at the Lainhart Dam and S46
structures as recorded by the U.S. Geological Survey and the South Florida Water Management District119




Figure A1. Monthly salinity recorded at stations from 2005 – 2018 in the St. Lucie-North (top), St. Lucie-South (middle) and St. Lucie-Central (bottom) study sites and the sum of the mean flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District.




Figure A2. Monthly salinity recorded at stations from 2005 – 2018 in the Loxahatchee-North (top) and Loxahatchee-South (bottom) study sites and the sum of the mean daily flow rate at the Lainhart Dam and S46 structures as recorded by the U.S. Geological Survey and the South Florida Water Management District.




Figure A3. Mean daily salinity recorded by continuous data loggers from 2005 – 2018 at the St. Lucie North Fork HR1 (top), St. Lucie US1 Roosevelt Bridge (middle) and St. Lucie middle estuary Rio (bottom) stations and the sum of the mean flow rate at the S80, S97, S49 and Gordy structures. Salinity and flow data from the U.S. Geological Survey and the South Florida Water Management District.




Figure A4. Mean daily salinity recorded by continuous data loggers from 2005 – 2018 at the Loxahatchee NW Fork OY (top), Loxahatchee SW Fork 72 (middle) and Loxahatchee central estuary PP (bottom) stations and the sum of the mean flow rate at the Lainhart Dam and S46 structures. Salinity data from the Loxahatchee River District and flow data from the U.S. Geological Survey and the South Florida Water Management District.




Figure A5. Monthly water temperature recorded at stations from 2005 – 2018 in the St. Lucie-North (top), St. Lucie-South (middle) and St. Lucie-Central (bottom) study sites and the sum of the mean flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District.




Figure A6. Monthly water temperature recorded at stations from 2005 – 2018 in the Loxahatchee-North (top) and Loxahatchee-South (bottom) study sites and the sum of the mean daily flow rate at the Lainhart Dam and S46 structures as recorded by the U.S. Geological Survey and the South Florida Water Management District.




Figure A7. Monthly dissolved oxygen concentration recorded at stations from 2006 – 2018 in the St. Lucie-North (top), St. Lucie-South (middle) and St. Lucie-Central (bottom) study sites and the sum of the mean flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District.




Figure A8. Monthly dissolved oxygen concentration recorded at stations from 2006 – 2018 in the Loxahatchee-North (top) and Loxahatchee-South (bottom) study sites and the sum of the mean daily flow rate at the Lainhart Dam and S46 structures as recorded by the U.S. Geological Survey and the South Florida Water Management District.




Figure A9. Monthly pH recorded at stations from 2006 - 2018 in the St. Lucie-North (top), St. Lucie-South (middle) and St. Lucie-Central (bottom) study sites and the sum of the mean flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District.




Figure A10. Monthly pH recorded at stations from 2006 - 2018 in the Loxahatchee-North (top) and Loxahatchee-South (bottom) study sites and the sum of the mean daily flow rate at the Lainhart Dam and S46 structures as recorded by the U.S. Geological Survey and the South Florida Water Management District.




Figure A11. Monthly percent Secchi penetration recorded from 2005 – 2018 at St. Lucie-North Station 1 (top), Station 2 (middle) and Station 3 (bottom) and the sum of the mean daily flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District.




Figure A12. Monthly percent Secchi penetration recorded from 2005 - 2018 at St. Lucie-South Station 1 (top), Station 2 (middle) and Station 3 (bottom) and the sum of the mean daily flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District.




Figure A13. Monthly percent Secchi penetration recorded from 2005 - 2018 at St. Lucie-Central Station 1 (top), Station 2 (middle) and Station 3 (bottom) and the sum of the mean daily flow rate at the S80, S97, S49 and Gordy structures as recorded by the South Florida Water Management District.




Figure A14. Monthly percent Secchi penetration recorded from 2005 – 2018 at Loxahatchee-North Station 1 (top), Station 2 (middle) and Station 3 (bottom) and the sum of the mean daily flow rate at the Lainhart Dam and S46 structures as recorded by the U.S. Geological Survey and the South Florida Water Management District.




Figure A15. Monthly percent Secchi penetration recorded from 2005 – 2018 at Loxahatchee-South Station 1 (top), Station 2 (middle) and Station 3 (bottom) and the sum of the mean daily flow rate at the Lainhart Dam and S46 structures as recorded by the U.S. Geological Survey and the South Florida Water Management District.